









10 14 00 A RESTROOM SIGNAGE

AUGUST 2021

Morningside Campus Restroom signage is typically provided by CUFO and installed by the Contractor. Inquire with the Project Manager prior to proceeding.

Restroom Signage Standard

Gender Neutral Restrooms



Specification:

Minimum Size - 7 5/8" H x 7"W

3" H raised symbols painted black

5/8" H raised ADA characters, font - Interstate
Grade II Braille translation

Signs in Stock at the CU Stockroom

1/4" thick photopolymer, Surface painted background,
matte clear coat finish
Double-face tape mounting

Stock colors:


MP#41342SP Metallic Silver

DX-02 Bone

Note: Materials and finishes may be customized based on project needs. Finishes must meet ADA low reflectivity requirements.

Restroom Signage Standard

Gender Specific Restrooms



Specification:

Minimum Size - 7 5/8" H x 7"W

3" H raised symbols painted black

5/8" H raised ADA characters, font - Interstate
Grade II Braille translation

Signs in Stock at the CU Stockroom

1/4" thick photopolymer, Surface painted background,
matte clear coat finish
Double-face tape mounting

Stock colors:


MP#41342SP Metallic Silver

DX-02 Bone

Note: Materials and finishes may be customized based
on project needs. Finishes must meet ADA low
reflectivity requirements.

Restroom Signage Standard

Non-accessible Gender Specific Restrooms



Specification:

Minimum Size - 7 5/8" H x 7"W

3" H raised symbols painted black

5/8" H raised ADA characters, font - Interstate
Grade II Braille translation

Signs in Stock at the CU Stockroom

1/4" thick photopolymer, Surface painted background,
matte clear coat finish
Double-face tape mounting

Stock colors:

MP#41342SP Metallic Silver

DX-02 Bone

Note: Materials and finishes may be customized based on project needs. Finishes must meet ADA low reflectivity requirements.