

**Columbia Standards**  
09 68 00S2 - SHAW CARPET TILE LOOKBOOK

**ShawContract®**

**Adam Nemchick**  
adam.nemchick@shawinc.com

**Ryan Blowers**  
646-725-1251 | ryan.blowers@shawcontract.com

Neutral  
is not  
enough.

**Neutral  
is not  
enough.**

Neutral  
is not  
enough.



## **THIS IS MORE THAN FLOORING**

We are one planet. We cannot afford to be neutral when it comes to Carbon, Circularity, Material Health and Diversity & Inclusion.

**We must make changes  
and take action together.**



**People Together,  
Planet Forever is our promise.**

**Neutral is not enough  
is our call to action.**



**People Together, Planet Forever** is our *promise*.  
**Neutral is Not Enough** is our *call to action*.

We are one planet. We cannot afford to be neutral. We must make changes and take action together. **We are design optimists.**

## MATERIAL HEALTH

*Together*, we design and manufacture products to optimize human environments.



### Cradle to Cradle Certified®

For more than 20 years, we have invested in material health with our EcoWorx® PVC-free carpet tile backing, the first flooring product to be Cradle to Cradle Certified®.

## CARBON IMPACT

*Together*, we are a positive force in the global effort to collectively fight climate change.



### Low Embodied Carbon | Carbon Neutral

We offer a broad portfolio of products that are carbon neutral and optimized for low embodied carbon. Shaw has achieved carbon neutrality in our global commercial carpet operations (since 2018).

## CIRCULAR ECONOMY

*Together*, we practice a regenerative, closed-loop approach to sustainability.

re[TURN]

### We Want it Back

At the end of its useful life, we'll reclaim and recycle EcoWorx® backed carpet to make more EcoWorx® carpet products at no cost to you. Since 2006, Shaw has reclaimed and recycled nearly 1 billion pounds of post-consumer carpet reducing landfill waste.

## DIVERSITY & INCLUSION

*Together*, we nurture an environment where every voice and perspective can be seen & heard.



### Supplier Diversity Program

We promote supplier participation that is reflective of Shaw Industries' diverse customer base and local community. We believe having a strong network of partners is strategic for bringing more innovation to our businesses and opening new markets for growth.



# Circular Economy



**WE CANNOT AFFORD TO BE NEUTRAL  
AND IGNORE THE AMOUNT OF WASTE  
WE GENERATE ON OUR PROJECTS.**

## **WHY IS CIRCULAR ECONOMY IM- PORTANT TO ALL OF US?**

It goes beyond reducing waste — it redefines the possibilities of design. It reduces waste in your current projects and reduces natural resource depletion in your next.

## **HOW CAN WE MAKE CIRCULAR ECONOMY A REALITY?**

While products are circular, people make this a reality. You can be part of helping us create a truly circular economy. Using products that can be recycled or repurposed helps conserve resources, lower emissions, and reduce waste. Together, we can reduce your project's landfill consumption.



Designed with **future generations** in mind—through our re[TURN]<sup>®</sup> Reclamation Program, we can make buildings a **future source** of our raw materials.

We have lowered our EcoWorx re[TURN]<sup>®</sup> minimums to 100 square yards for carpet tile and 1,000 square feet for resilient.\*  
Through the program we have recycled nearly 1 billion pounds of carpet, including EcoWorx.


\*Restrictions apply. See [shawcontract.com](http://shawcontract.com) for guidelines.

**ShawContract<sup>®</sup>**

# 5 Easy Steps



## MAKE CIRCULAR ECONOMY A REALITY IN 5 EASY STEPS



# Our Pledge



**AT THE HEART OF SHAW CONTRACT, WE CREATE PRODUCTS AND SOLUTIONS THAT POSITIVELY IMPACT PEOPLE AND THE PLANET. WE ARE DESIGN OPTIMISTS.**

We are living in times of urgent social and environmental change. As individuals, the design community & societies at large, we are questioning how we can create a better, fairer future.

**At Shaw Contract, we are a human-centric, people-powered**

organization with an ambition for progress in every fiber of our beings. Time's up on standing still; we need to be the change we need. So we don't just stand, we walk forward with purpose and optimism.

**When we talk about sustainability we join the causes of people and planet together, social and environmental concerns combined.**


Sustainability is what unites us. It is our foundation and our purpose: our equal rights, our shared experience, our hopeful future. It is the air we breathe and the earth we stand upon.

1. MATERIAL HEALTH
2. CIRCULAR ECONOMY
3. DIVERSITY & INCLUSION
- 4.

## CARBON IMPACT







\*When combined with EcoSolution Q100™ Nylon Fiber

## EcoWorx®

NO TRANSITIONS

- Low VOCs, meeting the requirements for Green Label Plus certification. Contributes to LEED 2009 and v4.
- EcoWorx® provides ingredient transparency through Cradle to Cradle Certification™ at the Silver Level.
- Weighs 40% less than traditional carpet tile, creating carbon reductions in transport and increasing efficiency in installation.
- Uses 40% less energy in production than traditional carpet tile.
- Installs with 5 mm LVT with no transitions when using full-spread adhesive on both products.
- At the end of its useful life, we'll reclaim and recycle carpet to make more carpet products. Since 2006, Shaw has reclaimed and recycled nearly 1 billion pounds of post-consumer carpet, reducing landfill waste.



Scan to learn more about EcoWorx®

SECTION 1

Carpet Tile









62105 Flax

| Product Specifications   |                                         |                        |
|--------------------------|-----------------------------------------|------------------------|
| Style Number             | 5T668                                   |                        |
| Fibre                    | Ecosolution Q100® Nylon                 |                        |
| Dye Method               | 100% Solution Dyed                      |                        |
| Tufted Weight            | 16 oz.                                  | 542.5 g/m <sup>2</sup> |
| Gauge                    | 1/12                                    | 47.2/10 cm             |
| Average Density          | 7579 ozs./yd³                           | 0.28 g/cm³             |
| Product Size             | 24 in x 24 in                           | 61 cm x 61 cm          |
| Secondary Backing        | Ecworx® Tile                            |                        |
| Recommended Installation | Quarter Turn, Monolithic, Brick, Ashlar |                        |



Flax  
62105



Tawny  
62109



Centering Forest  
62396



Supporting Cobalt  
62485



Agreeable Navy  
62496



Connected  
Turquoise  
62323



Leather  
62500



Sisal  
62501



Natural  
62585




Mindful Burgundy  
62850



Brown  
62750

**Coordinating Products**  
Stillness Tile, Disconnect Tile, Earthing Tile, Visualize Tile, Manifest Tile, Breathe Tile, Presence Tile, Meditate Tile, Grounded Accent Tile, Exhale Tile, Guided Tile, In The Flow Tile, Woven Path Tile




94535 Mirror Grey

| Product Specifications   |                                                 |                        |
|--------------------------|-------------------------------------------------|------------------------|
| Style Number             | 5T296                                           |                        |
| Fibre                    | Ecosolution Q100® Nylon                         |                        |
| Dye Method               | 100% Solution Dyed                              |                        |
| Tufted Weight            | 16 oz.                                          | 542.5 g/m <sup>2</sup> |
| Gauge                    | 1/10                                            | 39.4/10 cm             |
| Average Density          | 4500 ozs./yd³                                   | 8.78 kilotex           |
| Product Size             | 24 in x 24 in                                   | 61 cm x 61 cm          |
| Secondary Backing        | StrataWorx® Tile                                |                        |
| Recommended Installation | Quarter Turn, Random, Monolithic, Brick, Ashlar |                        |




Glassy Green  
94335




Shimmery Blue  
94485



Chrome Black  
94500



Glossy Charcoal  
94505



Sterling Silver  
94515



Steel Grey  
94530



Mirror Grey  
94535



Polished Stone  
94557




Metallic Beige  
94760



Shiny Pebble  
94761

**Coordinating Products** Arrange Tile, Array Tile, Structure Tile







62105 Flax **Coordinat-**  
**ing Products**

Stillness Tile, Disconnect Tile, Earthing Tile, Visualize Tile, Manifest Tile, Alignment Tile, Presence Tile, Meditate Tile, Grounded Accent Tile, Exhale Tile, Guided Tile, In The Flow Tile, Woven Path Tile

Product Specifications

|                          |                                        |                        |
|--------------------------|----------------------------------------|------------------------|
| Style Number             | 5T669                                  |                        |
| Fibre                    | Ecosolution Q100® Nylon                |                        |
| Dye Method               | 100% Solution Dyed                     |                        |
| Tufted Weight            | 16 oz.                                 | 542.5 g/m <sup>2</sup> |
| Gauge                    | 1/12                                   | 47.2/10 cm             |
| Average Density          | 7579 ozs./yd³                          | 0.28 g/cm³             |
| Product Size             | 24 in x 24 in                          | 61 cm x 61 cm          |
| Secondary Backing        | Ecworx® Tile Quarter Turn, Monolithic, |                        |
| Recommended Installation | Brick, Ashlar                          |                        |



Flax  
62105



Tawny  
62109



Natural  
62585



Centering Forest  
62396



Supporting Cobalt  
62485



Agreeable Navy  
62496



Leather  
62500



Sisal  
62501



Mindful Burgundy  
62850




Brown  
62750



Friendly Grape  
62979



Connected  
Turquoise  
62323




94535 Mirror Grey

**Coordinating Products** Accord, Amend, Array Tile, Offset Tile, Structure Tile

Product Specifications

|                          |                                                 |                        |
|--------------------------|-------------------------------------------------|------------------------|
| Style Number             | 5T294                                           |                        |
| Fibre                    | Ecosolution Q100® Nylon                         |                        |
| Dye Method               | 100% Solution Dyed                              |                        |
| Tufted Weight            | 16 oz.                                          | 542.5 g/m <sup>2</sup> |
| Gauge                    | 1/10                                            | 39.4/10 cm             |
| Average Density          | 4760 ozs./yd³                                   | 8.75 kilotex           |
| Product Size             | 24 in x 24 in                                   | 61 cm x 61 cm          |
| Secondary Backing        | StrataWorx® Tile                                |                        |
| Recommended Installation | Quarter Turn, Random, Monolithic, Brick, Ashlar |                        |



Glassy Green  
94335



Shimmery Blue  
94486



Blue Belle  
94485



Glossy Charcoal  
94505



Sterling Sliver  
94515



Steel Grey  
94530



Mirror Grey  
94535



Polished Stone  
94557




Metallic Beige  
94760



Shiny Pebble  
94761



Chrome Black  
94500







50678 Include Color

**Coordinating Products** Collective I Tile, Collective II Tile, Collective III Tile, Collective IV Tile, Collective V Tile, In Common Tile, Side By Side Tile, Alongside, In Tune

Product Specifications

|                          |                                                 |                         |
|--------------------------|-------------------------------------------------|-------------------------|
| Style Number             | 5T494                                           |                         |
| Fibre                    | Ecosolution Q100® Nylon                         |                         |
| Dye Method               | 100% Solution Dyed                              |                         |
| Tufted Weight            | 17 ozs./yd <sup>2</sup>                         | 576.4 g/m <sup>2</sup>  |
| Gauge                    | 1/12 in                                         | 47.2/10 cm              |
| Average Density          | 6120 ozs./yd <sup>3</sup>                       | 0.226 g/cm <sup>3</sup> |
| Product Size             | 9 in x 36 in                                    | 23 cm x 91 cm           |
| Secondary Backing        | EcoWorx® Tile                                   |                         |
| Recommended Installation | Monolithic, Brick, Ashlar, Herringbone, Stagger |                         |




50678 Include Color

**Coordinating Products** Collective I Tile, Collective II Tile, Collective III Tile, Collective IV Tile, Collective V Tile, In Common Tile, Side By Side Tile, All Together, In Tune

Product Specifications

|                          |                                                 |                         |
|--------------------------|-------------------------------------------------|-------------------------|
| Style Number             | 5T495                                           |                         |
| Fibre                    | Ecosolution Q100® Nylon                         |                         |
| Dye Method               | 100% Solution Dyed                              |                         |
| Tufted Weight            | 17 ozs./yd <sup>2</sup>                         | 576.4 g/m <sup>2</sup>  |
| Gauge                    | 1/12 in                                         | 47.2/10 cm              |
| Average Density          | 5885 ozs./yd <sup>3</sup>                       | 0.218 g/cm <sup>3</sup> |
| Product Size             | 9 in x 36 in                                    | 23 cm x 91 cm           |
| Secondary Backing        | EcoWorx® Tile                                   |                         |
| Recommended Installation | Monolithic, Brick, Ashlar, Herringbone, Stagger |                         |







48211 Golden + 48515 Hearten + 48486 Serene

**Coordinating Products**  
Belong, Memory

Product Specifications

|                          |                                                 |                        |
|--------------------------|-------------------------------------------------|------------------------|
| Style Number             | 5T265                                           |                        |
| Fibre                    | Ecosolution Q100® Nylon                         |                        |
| Dye Method               | 100% Solution Dyed                              |                        |
| Tufted Weight            | 19 oz.                                          | 644.2 g/m <sup>2</sup> |
| Gauge                    | 1/10                                            | 39.4/10 cm             |
| Average Density          | 9000 ozs./yd³                                   | 10.00 kilotex          |
| Product Size             | 24 in x 24 in                                   | 61 cm x 61 cm          |
| Secondary Backing        | Ecworx® Tile                                    |                        |
| Recommended Installation | Monolithic, Quarter Turn, Ashlar, Brick, Random |                        |



Comfort  
48323



Greenery  
48370



Solace  
48485



Serene  
48486



Insight  
48979



Slate  
48557



Blanket  
48505



Hearten  
48515




Nestle  
48760



Sense  
48535



Ponder  
48530















78527 Cool Red

**Coordinating Products** Diffuse 24x24 EcoLogix®, Disperse Color 24x24 EcoWorx® Tile, Disperse 24x24, Color Frame Tile

Product Specifications

|                          |                                                 |                         |
|--------------------------|-------------------------------------------------|-------------------------|
| Style Number             | 5T479                                           |                         |
| Fibre                    | Ecosolution Q100® Nylon                         |                         |
| Dye Method               | 100% Solution Dyed                              |                         |
| Tufted Weight            | 16 ozs./yd <sup>2</sup>                         | 542.5 g/m <sup>2</sup>  |
| Gauge                    | 1/12 in                                         | 47.2/10 cm              |
| Average Density          | 6128 ozs./yd <sup>3</sup>                       | 0.227 g/cm <sup>3</sup> |
| Product Size             | 24 in x 24 in                                   | 61 cm x 61 cm           |
| Secondary Backing        | Ecworx® Tile                                    |                         |
| Recommended Installation | Quarter Turn, Random, Monolithic, Brick, Ashlar |                         |

|                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                       |                                                                                       |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|    |    |    |    |    |    |
| Cool<br>78506                                                                       | Cool White<br>78516                                                                 | Cool Lime<br>78517                                                                   | Cool Green<br>78518                                                                   | Cool Navy<br>78519                                                                    | Cool Teal<br>78520                                                                    |
|    |    |    |    |    |    |
| Cool Blue<br>78521                                                                  | Cool Purple<br>78522                                                                | Cool Burgundy<br>78523                                                               | Cool Gold<br>78524                                                                    | Cool Orange<br>78525                                                                  | Cool Burnt Orange<br>78526                                                            |
|    |    |    |    |    |    |
| Cool Red<br>78527                                                                   | Warm<br>78706                                                                       | Warm White<br>78716                                                                  | Warm Lime<br>78717                                                                    | Warm Green<br>78718                                                                   | Warm Navy<br>78719                                                                    |
|  |  |  |  |  |  |
| Warm Teal<br>78720                                                                  | Warm Blue<br>78721                                                                  | Warm Purple<br>78722                                                                 | Warm Burgundy<br>78723                                                                | Warm Gold<br>78724                                                                    | Warm Orange<br>78725                                                                  |
|  |  |                                                                                      |                                                                                       |                                                                                       |                                                                                       |
| Warm Burnt Orange<br>78726                                                          | Warm Red<br>78727                                                                   |                                                                                      |                                                                                       |                                                                                       |                                                                                       |

Best



>550

Best



3.67 E +00

Better



\$16-25 sq.ft.



18100 Carrara Silver  
**Coordinating Products**  
Gilded Tile, Metal Edge Tile

Product Specifications

|                          |                                         |               |
|--------------------------|-----------------------------------------|---------------|
| Style Number             | 5T618                                   |               |
| Fibre                    | Ecosolution Q100® Nylon                 |               |
| Dye Method               | 100% Solution Dyed                      |               |
| Tufted Weight            | 26 oz.                                  | 881.5 g/m2    |
| Gauge                    | 1/10                                    | 39.4/10 cm    |
| Average Density          | 10517 ozs./yd³                          | 0.389 kilotex |
| Product Size             | 24 in x 24 in                           | 61 cm x 61 cm |
| Secondary Backing        | Ecworx® Tile                            |               |
| Recommended Installation | Monolithic, Quarter Turn, Brick, Ashlar |               |



Umber Palladium  
18518




Anthracite  
Palladium  
18580



Lazurite Silver  
18496



Onyx Silver  
18505



71535 Pristine  
**Coordinating Products** Vista Tile, Landing  
Edge Tile, Landing Tile, Clearing Tile, Plains  
Tile

Product Specifications

|                          |                                                                                    |                   |
|--------------------------|------------------------------------------------------------------------------------|-------------------|
| Style Number             | 5T371                                                                              |                   |
| Fibre                    | Ecosolution Q100® Nylon                                                            |                   |
| Dye Method               | 100% Solution Dyed                                                                 |                   |
| Tufted Weight            | 22 oz.                                                                             | 745.9 g/m2        |
| Gauge                    | 1/10                                                                               | 39.4/10 cm        |
| Average Density          | 7071 ozs./yd³                                                                      | 7.44 kilotex      |
| Product Size             | 18 in x 36 in                                                                      | 45.7 cm x 91.4 cm |
| Secondary Backing        | Ecworx® Tile                                                                       |                   |
| Recommended Installation | Basketweave, Herringbone, Boxed In, Brick,<br>Half Basketweave, Monolithic, Ashlar |                   |



Forest  
71396



Stone  
71595



Reservoir  
71485



Coast  
71323



Remote  
71580



Flora  
71850



Meadow  
71375



Distant  
71505



Sky  
71411




Summit  
71761



Plateau  
71585



Opulent  
71555



## SECTION 2

# Accessories and Resources





# Adhesives

## 5000 Carpet Tile Adhesive | LokWorx+

N5000 4 gal. | H5001 1 gal. Premium releasable PSA

GOOD BETTER BEST



- Immediate access for light traffic
- Outstanding for high traffic areas
- Aggressive tack, fast grab
- Releasable adhesive
- Water-resistant bond
- LEED v4 contributing
- Available in 1 and 4 gallon pails
- 28–33 yd<sup>2</sup> per gallon spread rate with 1/16" x 1/32" x 5/64" U-notch trowel
- 35–40 yd<sup>2</sup> per gallon spread rate with 3/8" foam or medium nap roller
- 15 lbs / 97% RH / 5–11 pH

## 4200 Resilient Adhesive | LokWorx+

163CA 1 gal. 164CA 4 gal. | Resilient Tile 165CA 1 gal. 166CA 4 gal. | Resilient Sheet Premium resilient commercial adhesive

GOOD BETTER BEST



- Contains recycled polymer content
- Transitional adhesive
- High-strength, water resistant bond
- One-part system increases ease of install
- Commercial underbed bond warranty
- LEED v4 contributing
- 175–225 ft<sup>2</sup> per gallon spread rate using 1/16" x 1/32" x 1/32" U-notch trowel
- 4 gallon pails, 48 pails per pallet
- 1 gallon pails, 180 pails per pallet
- 99% RH

## 4252 Multi-Use PSA Adhesive

255CA 4 gal. Premium multi-use commercial adhesive

GOOD BETTER BEST



- Pressure sensitive adhesive for carpet tile and resilient tile products
- 20–25 yd<sup>2</sup> per gallon with 1/16" x 1/32" x 1/32" U-notch trowel
- 28–36 yd<sup>2</sup> per gallon with medium nap roller
- 4 gallon pail
- 12 lbs / 99% RH / pH 5–12

# Commercial Carpet Maintenance

Proper care will help protect and maintain the appearance and performance of your flooring. **A care program consists of these key areas:**



## Vacuum

Vacuuming is the most important step in your maintenance program. Vacuum daily.



## Spot Clean

Spray mist neutral pH carpet cleaner on a stain/soil spot and blot with a towel. Promptly use spotting brush to agitate the neutral pH cleaner and remove any matter from the spot.



## Encapsulation

Vacuum first. Spray encapsulation cleaner on the carpet, then use the counter rotating brush (CRB) to encapsulate the soil. Vacuum after 15 minutes of dry time.



## Hot Water Extraction

Vacuum first. Pre-spray traffic lane cleaner on the carpet. Agitate with CRB, then extract with hot water.

## Did You Know?

80% of soil brought into a facility can be trapped within 6 to 8 steps onto a carpeted surface. Entry mats or walk-off tile will reduce necessary maintenance for both carpet and resilient flooring.

## Technical Videos



Carpet Spot  
Cleaning Video



Spots and Stains:  
Maintenance +  
Prevention Video



Extraction Deep  
Cleaning Video



Shaw Contract  
Youtube Page

To learn more about enhanced cleaning and disinfecting, and see procedures related to CDC guidelines, visit [shawcontract.com](https://www.shawcontract.com). For more information and product support, call **877.502.7429**







**ShawContract®**