



22 40 00S Plumbing Fixtures

This booklet contains CUF pre-approved options for Plumbing Fixtures. Any fixture not specifically shown herein requires Design Development Phase approval from CPM prior to proceeding with Construction Drawings.

Toilets

Kohler “Kingston” K-4325 wall mounted toilet



- Vitreous china
- Wall-mount
- Elongated bowl
- Siphon jet
- 1-1/2" top spud
- 1.28 gpf
- 2-1/8" min. ball pass trapway

Zurn Z5615 HET



Zurn Z5665-BWL or Z5655-BWL floor mounted toilets



- Vitreous china
- Floor-mount
- Elongated bowl
- Siphon jet
- 1-1/2" top spud
- 1.28 gpf
- 2-1/8" min. ball pass trap



Church 9500CT or Olsonite Model 10C Seats



- STA-TITE® Commercial Fastening System
- Open Ring
- Plastic
- Elongated
- Coverless
- Commercial
- Check Hinge



Sloan Solis 8111-1.28 Flushometer



- Chrome-plated with chrome-plated escutcheon
- Exposed diaphragm type flush valve
- Solar-powered with battery back-up
- Angle stop
- Vacuum breaker
- 1-1/2" outlet spud escutcheon

Urinals

Sloan WEUS-1000.1201 Urinal



- Vitreous china
- Wall-mount
- Wall outlet high efficiency .125 gpf
- Integral flushing rim
- Washdown flushing action
- 3/4" inlet top spud
- 2" threaded outlet connection

Sloan Solis 8186-.125 Flushometer



- Chrome-plated with chrome-plated escutcheon
- Exposed diaphragm type flush valve
- Solar-powered with battery back-up
- Pressure compensating cartridge assembly
- Synthetic rubber seals for chloramine resistance
- 3/4" outlet spud escutcheon

Urinals

Zurn – The Retrofit Pint – Z5758.207.00 Urinal



- Vitreous china
- Wall-mount
- Wall outlet high efficiency 1/8 gpf
- 14" extended rim for ADA compliance
- Includes high efficiency flushometer with manual handle

Zurn – The Pint – Z5798.205.00 Urinal




- Vitreous china
- Wall-mount
- Wall outlet high efficiency 1/8 gpf
- 14" extended rim for ADA compliance
- Includes sensor operated battery powered high efficiency flushometer

Lavatories


Kohler "Caxton" 2209



- Vitreous china
- Undercounter-mount
- Overflow drain
- Perforated grate drain
- 1-1/4" tailpiece
- One piece chrome-plated brass "p" trap with cleanout plug and cast brass 1 1/2" escutcheons with set screws



McGuire 170 LK Loose Key Supply Kit



- commercial grade 3/8" chrome-plated brass supplies
- loose key angle stops
- set screw escutcheons

Note:
Supply and waste piping shall have protective shield Pumberex "Handy-Shield Maxx" or equal.

Sloan Optima Solis EAF -275-ISM



- Sensor-operated
- Solar-powered 6VDC lithium battery back-up power source
- .5 gpm spray head
- Integral mixing valve
- Polished chrome

Zurn AquaSense Z6915




Lavatories

Kohler "Soho" K-2084-O




- Vitreous china
- Wall mount
- Overflow drain
- Perforated grate drain
- 1-1/4" tailpiece
- One piece chrome-plated brass "p" trap with cleanout plug and cast brass 1 1/2" escutcheons with set screws

Zurn 5341



McGuire 170 LK Loose Key Supply Kit



- commercial grade 3/8" chrome-plated brass supplies
- loose key angle stops
- set screw escutcheons

Note:

Supply and waste piping shall have protective shield Pumberex "Handy-Shield Maxx" or equal.

Sloan Optima Solis EAF -275-ISM




- Sensor-operated
- Solar-powered 6VDC lithium battery back-up power source
- .5 gpm aerator spray head
- Integral mixing valve
- Polished chrome

Lavatories

Kohler "Pennington" K-2196-L




- Vitreous china
- Drop-in
- Overflow drain
- Perforated grate drain
- 1-1/4" tailpiece
- One piece chrome-plated brass "p" trap with cleanout plug and cast brass 1 1/2" escutcheons with set screws



Recommended ADA Installation

McGuire 170 LK Loose Key Supply Kit



- commercial grade 3/8" chrome-plated brass supplies
- loose key angle stops
- set screw escutcheons

Note:

Supply and waste piping shall have protective shield Pumberex "Handy-Shield Maxx" or equal.

Sloan Optima Solis EAF -275-ISM



- Sensor-operated
- Solar-powered 6VDC lithium battery back-up power source
- .5 gpm aerator spray head
- Integral mixing valve
- Polished chrome

Hand Dryers

Dyson V Blade HU02



- 30% quieter than the previous generation (79dB).
- dries your hands in 12 seconds)
- uses less energy than the previous generation.
- Most hygienic due to sensor activation & dual HEPA filters.
- \$31 per year savings in electrical usage; 97% less expensive than paper towels
- Slim 4" profile means no recessing is required to meet ADA protrusion rules

Xcelerator XL-SB



- 8 second Dry Time
- 80% Less Energy Than Conventional Hand Dryers
- 95% Cost Savings Vs. Paper Towels
- BuildingGreen® Listed and Helps Qualify for several LEED® credits
- A Hygienic Hand Drying Solution
- Adjustable speed and sound
- Adjustable heat settings

Drinking Fountains

Elkay EZWS-ERPBM28K




- Hi-lo fountains with front push button activation
- Sensor-activated bottle filler with auto 20 second shut-off 1.1 gpm fill rate
- “Green Ticker” counts bottles saved from waste
- Refrigerated
- Stainless steel

Filtrine 107-16-HJ-VP



- Hi-lo fountains with front push button activation
- Bottle filling station with push button activation
- “Green Ticker” counts bottles saved from waste
- Refrigerated option with remote in-wall chiller
- Stainless steel




Pantry Drinking Water

Franke LB10200 “Little Butler” Hot and Cold Water Dispenser

Product Picture



Technical Drawing



Product Information


Version	Hot & Filtered Cold Water Dispenser
Flow Rate	0.5 gpm
Spray Type	Full Spray
Faucet Operation	2 Handle Mixer
Spout Swivel Range	360 °
Where to buy	Showroom
Countertop hole diameter	1 3/8"

Franke HT-300 Heating Tank

Product Picture




Technical Drawing



Product Picture



Technical Drawing



Service Sink

Fiat Products / Crane Plumbing Co. – MSB 3624



- 10" high walls
- 24" x 36" molded stone
- Stainless steel drain body for a 3" drain pipe
- Dome strainer and lint basket combo

Fiat Products / Crane Plumbing Co. – TSBC 6010



- 10" high walls (interior)
- 24" x 24" x 12" molded terrazzo
- Stainless steel drain body for a 3" drain pipe


Kohler – K-8905



- Brass construction
- Rough chrome finish
- ADA compliant lever handles
- For 8" centers
- Vacuum breaker
- 2-1/4" threaded spout for hose connection
- Pail hook

Showers

Fiat Products – “Monterrey” Terrazzo Shower Floor - 6030 MFTR



- 60" X 30" Terrazzo one piece precast
- Surface shall be ground and polished
- Stainless steel integrally cast drain body

Symmons Industries, Inc. – Safetymix Shower System - 1-100-295



- 4-5 x $\frac{3}{4}$ anti-scald pressure balancing
- Mixing valve with adjustable stop screw
- Integral service stops at $\frac{3}{4}$ in.



Delta Faucet Co. – Lowflow Showerhead - RP46384



- Full spray function
- 1.5 gpm at 80 psi
- Polished chrome finish