


Accessible Routes

SECTION 00 00 18A DESIGN REQUIREMENTS

Components of Accessible Routes

- Surface Slope (Ramps) and Handrails
- Clearances
- Doors, Doorways and Gates
- Vertical Access




Accessible Entry Requirements

SECTION 00 00 18A
DESIGN REQUIREMENTS

Components



- CU Design Requirements for Hardware
[Guide to Hardware Locksets and Latchsets](#)
- CU Design Requirements for Door Types
[Door and Hardware Specification Guideline.docx](#)
- CU Card Reader
- Door Maneuvering Clearance



Accessible Entry Requirements

SECTION 00 00 18A
DESIGN REQUIREMENTS



Wall Front Approach 1



Accessible Entry Requirements

SECTION 00 00 18A
DESIGN REQUIREMENTS



Wall Front Approach 2



Accessible Entry Requirements

SECTION 00 00 18A
DESIGN REQUIREMENTS


Post Option 1



Accessible Entry Requirements

SECTION 00 00 18A
DESIGN REQUIREMENTS

Post Option 2



[Security Brands 18-001 Gooseneck Pad Mount Pedestal for Access Control – Shop Gate Openers](#)

[10" x 6" Steel Housing For DoorBird D1812 - Housings | Gooseneck Stands](#)

